

1 Install J

- J is download available
<http://www.jsoftware.com>
- J602 operation Enveronment : WIN32/64 MAC PPC/INTEL LINUX32/64
- J 602 didn't using Resistry , so you may start J from USB or CDROM,
- Copy J602 any Directry(folder) you wish

2 Install hokusai

- hokusai_all.zip
- Zip file is download available from <http://japla.sakura.ne.jp> symposium 2012
- Unpack zip file and copy elsewhere you wish
- Editing hpath on file *hokusai_main.ijs* according to your *hokusai* folder
- *Only this 1 line you must edit script yourself*
- *Before editting hokusai_form.ijs , release check [Read-Only]*
- *When you load hokusai_main.ijs hokusai_form run automatically , if failure to start, type hokusai_run '' on ijs screen*
- *Color RGB is each 0-255*
- *If you feed new color number , new color number did not rewrite color table automatically*
- *so, editting Color table of Script hokusai_form.ijs directry*

3 hokusai_main.ijs

hokusai_main.ijs read next 7 files.

NB. written by SHIMURA Masato 2012/12/10

NB. Email: jcd02773@nifty.com

NB. URL: <http://japla.sakura.ne.jp>

NB. URL: http://homepage3.nifty.com/asagaya_avenue

```

NB. -----
require 'trig numeric gl2'
coinsert 'jgl2'
NB. -----
NB. adjust hpath yourself
hpath=: 'd:/language/j602-user/temp/graphics/hokusai/' NB. hpath
NB. -----
require hpath , 'hokusai_form.ijs'
require hpath, 'hokusai_tool_improve.ijs'
require hpath, 'hokusai_tool_bezier.ijs'
require hpath, 'hokusai_1.ijs'
require hpath, 'hokusai_2.ijs'
require hpath, 'hokusai_3.ijs'
require hpath, 'hokusai_4.ijs'
NB. EOF

```